

## PANTA MTV2T (FIA HOMOLOGATED)

PROPERTY	UNIT	FIA Specifications		TEST METHOD	TYPICAL VALUE
		Appendix J – Art 252			
		Min.	Max.		
<b>RON</b>	-	95	102	EN-ISO 5164	<b>101,9</b>
<b>MON</b>	-	85	90	EN-ISO 5163	<b>89,9</b>
<b>Density at 15° C</b>	kg/m3	720	785	EN-ISO 3675	<b>764</b>
<b>Oxygen Content</b>	%wt	-	3,7	Elemental analysis	<b>2,64</b>
<b>Nitrogen Content</b>	%wt	-	0,5	ASTM D 3228	<b>&lt;0,1</b>
<b>Oxidation stability</b>	minutes	360	-	ASTM D 3703	<b>&gt;800</b>
<b>Lead Content</b>	g/l	-	0,40	ASTM D 3237	<b>&lt;0,003</b>
<b>Benzene Content</b>	% vol	-	5	ASTM D 3606	<b>&lt;0,5</b>
<b>Reid vapour pressure</b>	hPa	-	900	ASTM D 323	<b>501</b>
<b>Sulphur content</b>	ppm		10	EN ISO 20884	<b>&lt;10</b>
<b>Aromatic content</b>	%vol	-	35	ASTM D 1319	<b>&lt;35</b>
<b>Olefin content</b>	%vol	-	18	ASTM D 1319	<b>&lt;18</b>
<b>Total diolefin</b>	%wt	-	1,0	GCMS/HPLC	<b>&lt;1</b>
<b>Distillation:</b>					
<b>Evaporated at 70 °C</b>	%vol	10	47	ISO 3405	<b>31</b>
<b>Evaporated at 100 °C</b>	%vol	30	70		<b>62</b>
<b>Evaporated at 150 °C</b>	%vol	75	-		<b>79</b>
<b>Final Boiling Point</b>	°C	-	225		<b>184</b>
<b>Residue</b>	%vol	-	2		<b>1,1</b>

### PANTA Distribuzione S.p.A

#### Sede Legale e Amministrativa

S.S. 235 – Km. 47+980 – 26010 Bagnolo Cremasco (CR)  
Tel. 0373 235111 – Fax 0373 235156

### PANTA Racing

S.S. 235 – Km. 47+980 – 26010 Bagnolo Cremasco (CR)  
T. 0373 235111 – E-mail: fuelorder@panta.it

### Sedi Operative

Corso Alessandria, 486 – 14100 Asti – T. 0373 235140  
Via Luigi Canina, 7 – 15033 Casale Monferrato (AL)  
T. 0142 466103 – Fax 0142 466369  
E-mail: spedizionipiemonte@panta.it  
S.S. 235 – Km. 47+980 – 26010 Bagnolo Cremasco (CR)  
T. 0373 235163

### Altre Sedi

Via Montefeltro, 4 – 20156 Milano  
T. 02 300598200 / 202  
Strada Cipata, 79 – 46100 Mantova  
T. 0376 378.1  
Via Nizza, 262 – 10126 Torino  
T. 011 2173337